

**MATH 151, SPRING 2006  
COMMON EXAM III - VERSION A**

LAST NAME, First name (print): \_\_\_\_\_

INSTRUCTOR: \_\_\_\_\_

SECTION NUMBER: \_\_\_\_\_

UIN: \_\_\_\_\_

SEAT NUMBER: \_\_\_\_\_

**DIRECTIONS:**

1. The use of a calculator, laptop or computer is prohibited.
2. In Part 1 (Problems 1-12), mark the correct choice on your ScanTron form No. 815-E using a No. 2 pencil. *For your own records, also record your choices on your exam!*
3. In Part 2 (Problems 13-18), present your solutions in the space provided. *Show all your work* neatly and concisely and *clearly indicate your final answer*. You will be graded not merely on the final answer, but also on the quality and correctness of the work leading up to it.
4. Be sure to *write your name, section number and version letter of the exam on the ScanTron form*.

THE AGGIE CODE OF HONOR

**“An Aggie does not lie, cheat or steal, or tolerate those who do.”**

Signature: \_\_\_\_\_

**DO NOT WRITE BELOW!**

Question	Points Awarded	Points
1-12		48
13		8
14		10
15		10
16		10
17		8
18		6
		100

PART I

1. (4 pts) If  $f(x) = \sin^{-1}(x^2)$ , then  $f'(1/\sqrt{2}) =$

- (a)  $2\sqrt{3}$
- (b)  $\sqrt{2}$
- (c)  $\frac{4}{\sqrt{6}}$
- (d)  $\frac{2}{\sqrt{6}}$
- (e)  $\frac{4\sqrt{2}}{5}$

2. (4 pts)  $\lim_{\theta \rightarrow 0} \frac{\tan^{-1}(\theta) - \theta}{\theta^3} =$

- (a) 0
- (b)  $-\frac{1}{3}$
- (c) -3
- (d)  $-\frac{1}{2}$
- (e) -2

Exam continues on next page

3. (4 pts) If  $g(x) = \ln(1 + e^{\sqrt{x}})$ , then  $g'(x) =$

(a)  $\frac{e^{\sqrt{x}}}{2\sqrt{x}(1 + e^{\sqrt{x}})}$

(b)  $\frac{1}{1 + e^{\sqrt{x}}}$

(c)  $\frac{e^{\sqrt{x}}}{1 + e^{\sqrt{x}}}$

(d)  $\sqrt{x} - \frac{1}{2} \ln x - \ln 2$

(e)  $\sqrt{x}$

4. (4 pts) Find  $\lim_{x \rightarrow \infty} (1 + 2x)^{1/x}$ .

(a) 2

(b) 1

(c)  $e^2$

(d)  $e$

(e) 0

Exam continues on next page

Problems 5-7 deal with the graph of the function  $f(x) = \frac{x^3}{3} - \frac{7x^2}{2} + 6x + 9$ .

5. (4 pts) Find the interval(s) on which the function  $f$  is decreasing.

- (a)  $\{x < 7/2\}$
- (b)  $\{1 < x < 6\}$
- (c)  $\{x < 1\} \cup \{x > 6\}$
- (d)  $\{x > 6\}$
- (e) none of the above

6. (4 pts) Find the interval(s) on which the graph of the function  $f$  is concave up.

- (a)  $\{x > 7/2\}$
- (b)  $\{x < 7/2\}$
- (c)  $\{x < 1\} \cup \{x > 6\}$
- (d)  $\{1 < x < 6\}$
- (e) none of the above

7. (4 pts) Find the  $x$ -coordinate(s) of all local minima.

- (a)  $x = 1$
- (b)  $x = 6$
- (c)  $x = 1$  and  $x = 6$
- (d)  $x = 7/2$
- (e)  $x = 0$

**Exam continues on next page**

8. (4 pts) Which of the following is a correct antiderivative for the function  $\ln x$ ?

- (a)  $\ln x$
- (b)  $x \ln x - x$
- (c)  $xe^x$
- (d)  $e^x \ln x$
- (e)  $x \ln x + x$

9. (4 pts) Find the absolute maximum value of  $f(x) = 2x^3 - 3x^2 - 12x + 5$  on the interval  $[0, 4]$ .

- (a) 5
- (b) 45
- (c) -15
- (d) 12
- (e) 37

10. (4 pts) Let  $y(t) = A + e^{kt}$  where  $A$  and  $k$  are constants. Find  $k$  if  $y(2) = 4$  and  $y(4) = 6$ .


- (a) 2
- (b)  $4 \ln 2$
- (c)  $2 \ln 2$
- (d)  $\ln 2$
- (e)  $\frac{\ln 2}{2}$

**Exam continues on next page**

11. (4 pts)  $\sum_{i=3}^6 (2i - 1) =$

- (a) 24
- (b) 27
- (c) 39
- (d) 32
- (e) 48

12. (4 pts) The graph of the derivative,  $\frac{df}{dx}$ , is shown below. Which statement about the function  $f$  is *false*?



- (a)  $x = -1$  is a relative minimum
- (b)  $f$  is decreasing on  $(-2, -1)$
- (c)  $f$  is increasing on  $(-1, 2)$
- (d)  $x = 2$  is a relative minimum
- (e)  $f$  is increasing on  $(2, 3)$

Exam continues on next page

**PART II**

13. (8 pts) If  $y = (2x + \ln x)^x$ , find  $\frac{dy}{dx}$ .


14. (10 pts) A particle moves in a straight line and has acceleration given by  $a(t) = 2 + 4t$  cm/sec<sup>2</sup>. At time  $t = 3$  seconds, its velocity is  $v(3) = 9$  cm/sec and its initial displacement is  $s(0) = 7$  cm. Find its position function  $s(t)$ .

**Exam continues on next page**

15. (10 pts) A colony of bacteria grows at a rate proportional to its size. The initial population is 1000 and at the end of ten minutes the population has increased by 3 percent. How long does it take the initial population to double?  
*Include units in your answer!*

**Exam continues on next page**

16. (10 pts) An isosceles triangle with its vertex pointing down has its base parallel to and above the  $x$ -axis. The base vertices lie on the parabola  $y = 9 - x^2$ . What is the largest area the triangle can have? *Clearly justify your answer!*



**Exam continues on next page**

17. (a) (5 pts) Express  $\lim_{n \rightarrow \infty} \frac{3}{n} \sum_{i=1}^n \left(1 + \frac{3i}{n}\right)^4$  as a definite integral.

(b) (3 pts) Express  $\int_{-2}^6 f(x) dx - \int_{-2}^0 f(x) dx + \int_6^9 f(x) dx$  as a single integral in the form  $\int_a^b f(x) dx$ .

**Exam continues on next page**

18. (6 pts) The table gives the values of a function obtained from an experiment. Use them to estimate  $\int_0^{10} f(x) dx$  using  $n = 5$  and left endpoints.

$x$	0	2	4	6	8	10
$f(x)$	1	3	-2	-1	2	4

**End of Exam**