

**MATH 152, Spring 2009  
COMMON EXAM II - VERSION B**

LAST NAME, First name (print): \_\_\_\_\_

INSTRUCTOR: \_\_\_\_\_

SECTION NUMBER: \_\_\_\_\_

UIN: \_\_\_\_\_

SEAT NUMBER: \_\_\_\_\_

**DIRECTIONS:**

1. The use of a calculator, laptop or computer is prohibited.
2. In Part 1 (Problems 1-10), mark the correct choice on your ScanTron using a No. 2 pencil. *For your own records, also record your choices on your exam!*
3. In Part 2 (Problems 11-15), present your solutions in the space provided. *Show all your work* neatly and concisely and *clearly indicate your final answer*. You will be graded not merely on the final answer, but also on the quality and correctness of the work leading up to it.
4. Be sure to *write your name, section number and version letter of the exam on the ScanTron form*.

THE AGGIE CODE OF HONOR

**“An Aggie does not lie, cheat or steal, or tolerate those who do.”**

Signature: \_\_\_\_\_

**DO NOT WRITE BELOW!**

Question	Points Awarded	Points
1-10		40
11		12
12		12
13		12
14		12
15		12
		100

**PART I: Multiple Choice**


1. (4 pts) Find the surface area obtained by rotating the curve  $y = 4 - x^2$ ,  $0 \leq x \leq 2$ , around the  $y$ -axis.

- (a)  $\frac{4\pi}{3}(5\sqrt{5} - 1)$
- (b)  $\frac{\pi}{6}(5\sqrt{5} - 1)$
- (c)  $\frac{4\pi}{3}(17\sqrt{17} - 1)$
- (d)  $\frac{\pi}{6}(17\sqrt{17} - 1)$
- (e)  $\frac{\pi}{6}$

2. (4 pts) Using the error bound formula  $|E_T| \leq \frac{K(b-a)^3}{12n^2}$ , where  $K = \max|f''(x)|$  for  $a \leq x \leq b$ , what is the smallest value of  $n$  so that the approximation  $T_n$  (The trapezoidal rule with  $n$  subintervals) to the integral  $\int_1^3 \ln x \, dx$  is accurate to within  $\frac{1}{2400}$ ?

- (a)  $n = 20$
- (b)  $n = 40$
- (c)  $n = 30$
- (d)  $n = 70$
- (e)  $n = 60$

3. (4 pts) A group of calculus teachers were sitting around an odd shaped pool (see figure below). The widths (in meters) of this pool were measured at 2-meter intervals as indicated. Use Simpson's rule with  $n = 4$  to approximate the area of this pool.



- (a)  $\frac{17}{3}$  square meters  
(b) 22 square meters  
(c)  $\frac{22}{3}$  square meters  
(d)  $\frac{44}{3}$  square meters  
(e)  $\frac{17}{2}$  square meters
4. (4 pts) Find the length of the curve  $y = \sqrt{x^3}$  from the point  $(0, 0)$  to the point  $(4, 8)$ .
- (a)  $\frac{2}{3}(10\sqrt{10} - 1)$   
(b)  $\frac{3}{2}(10\sqrt{10} - 1)$   
(c)  $\frac{4}{9}$   
(d)  $\frac{2}{3}$   
(e)  $\frac{8}{27}(10\sqrt{10} - 1)$

5. (4 pts) Given  $\frac{du}{dt} = e^{2t-u}$  and  $u(0) = 1$ , find  $u(1)$ .

(a)  $u(1) = \ln(2e^2 + e - 2)$

(b)  $u(1) = \ln\left(\frac{1}{2}e^2 + e - \frac{1}{2}\right)$

(c)  $u(1) = \ln(e + 1)$

(d)  $u(1) = \ln(e - 1)$

(e)  $u(1) = \ln\left(\frac{1}{2}e^2 - e + \frac{1}{2}\right)$

6. (4 pts) Find the surface area obtained by rotating the curve  $x = \sin t$ ,  $y = \cos t$ ,  $0 \leq t \leq \frac{\pi}{3}$  around the  $x$ -axis.

(a)  $\pi\sqrt{3}$

(b)  $\pi$

(c)  $\pi\frac{\sqrt{3}}{2}$

(d)  $\pi\frac{\sqrt{2}}{2}$

(e)  $\frac{\pi}{2}$

7. (4 pts) The improper integral  $\int_0^{\infty} xe^{-3x} dx$

(a) Converges to 0

(b) Converges to  $-\frac{1}{9}$

(c) Converges to 9

(d) Converges to  $\frac{1}{9}$

(e) Diverges

8. (4 pts) The curve  $x = e^{8y}$ ,  $0 \leq y \leq 1$  is revolved around the  $x$ -axis. Which of the following integrals gives the resulting surface area?

(a)  $\int_0^1 2\pi y \sqrt{1 + 64e^{16y}} dy$

(b)  $\int_0^1 2\pi y \sqrt{1 + \frac{1}{64}e^{16y}} dy$

(c)  $\int_0^1 2\pi e^{8y} \sqrt{1 + \frac{1}{64}e^{16y}} dy$

(d)  $\int_0^1 2\pi e^{8y} \sqrt{1 + \frac{1}{64}e^{8y^2}} dy$

(e)  $\int_0^1 2\pi e^{8y} \sqrt{1 + 64e^{16y}} dy$

9. (4 pts)  $\int_1^2 \frac{x^2 + 1}{x^2 + x} dx =$

- (a)  $1 - 3 \ln 2 + 2 \ln 3$
- (b)  $2 - 3 \ln 2 + 2 \ln 3$
- (c)  $2 + 3 \ln 2 - 2 \ln 3$
- (d)  $1 + 3 \ln 2 - 2 \ln 3$
- (e) None of the above.


10. (4 pts) The integral  $\int_1^{\infty} \frac{dx}{x + e^{5x}}$

- (a) Diverges by comparison to  $\int_1^{\infty} \frac{dx}{e^{5x}}$
- (b) Diverges by comparison to  $\int_1^{\infty} \frac{dx}{x}$
- (c) Converges by comparison to  $\int_1^{\infty} \frac{dx}{e^{5x}}$
- (d) Converges to 0.
- (e) Converges by comparison to  $\int_1^{\infty} \frac{dx}{x}$

**PART II WORK OUT**

**Directions:** Present your solutions in the space provided. *Show all your work* neatly and concisely and *Box your final answer*. You will be graded not merely on the final answer, but also on the quality and correctness of the work leading up to it.

11. (12 pts) A tank is full of oil and has the shape below. Find the hydrostatic force against one end of the semi-circular tank. Note the weight density of oil is  $\rho g = 9000$  Newton's per cubic meter.



12. A tank contains 250 liters of pure water. Brine that contains 0.01 kg of salt per liter enters the tank at a rate of 20 liters per minute. The solution is kept mixed and drains from the tank at a rate of 20 liters per minute. How much salt is in the tank after  $t$  minutes?

13. (12 pts) Find  $\int \frac{x+2}{x^2(x^2+1)} dx$

14. (12 pts) Find a general solution to the differential equation  $x \frac{dy}{dx} = x(\ln x)^2 + y$ .

15. (12 pts) Find the centroid of the region bounded by  $y = \sqrt{x}$  and  $y = x^3$ . Simplify your answer.

**End of Exam**